

Compiling C++ files

Hello World 2.0

In C++ the code is usually separated into *header files* (.h/.hpp) and *implementation files* (.cpp/.cc):

```
sayhello.hpp  
  
#include <string>  
void sayhello(const std::string& name);
```

```
sayhello.cpp  
  
#include "sayhello.hpp"  
#include <iostream>  
void sayhello(const std::string& name) {  
    std::cout << "Hello " << name << "!" << std::endl;  
}
```

Other code that wants to use this function only has to include sayhello.hpp.

Compiler

Reminder: Internally, the compiler is divided into Preprocessor, Compiler, and Linker.

Preprocessor:

- Takes an input file of (almost) any programming language
- Handles all *preprocessor directives* (i.e., all lines starting with `#`) and *macros*
- Outputs the file without any preprocessor directives or macros

Compiler:

- Takes a preprocessed C++ (or C) file, called *translation unit*
- Generates and optimizes the machine code
- Outputs an *object file*

Linker:

- Takes multiple object files
- Can also take references to other libraries
- Finds the address of all symbols (e.g., functions, global variables)
- Outputs an executable file or a shared library

Preprocessor

Most common preprocessor directives:

- `#include`: Copies (!) the contents of a file into the current file

```
// include system file iostream:  
#include <iostream>  
// include regular file myfile.hpp:  
#include "myfile.hpp"
```

- `#define`: Defines a macro

```
#define FOO // defines the macro FOO with no content  
#define BAR 1 // defines the macro BAR as 1
```

- `#ifdef/#ifndef/#else/#endif`: Removes all code up to the next `#else/#endif` if a macro is set (`#ifdef`) or not set (`#ifndef`)

```
#ifdef FOO  
...  
#endif
```

Compiler

- Every *translation unit* (usually a .cpp file) results in exactly one object file (usually .o)
- References to external symbols (e.g., functions that are defined in another .cpp) are *not* resolved

```

mul.cpp
int add(int a, int b);
int mul(int a, int b) {
    if (a > 0) { return add(a, mul(a - 1, b)); }
    else { return 0; }
}

```

Assembly generated by the compiler:

```

_Z3mulii:                                movl    %ebx, %edi
testl   %edi, %edi                       popq    %rbx
jle     .L2                               movl    %eax, %esi
pushq   %rbx                             jmp     _Z3addii@PLT
movl    %edi, %ebx                       .L2:
leal   -1(%rdi), %edi                    xorl    %eax, %eax
call   _Z3mulii                          ret

```

You can try this out yourself at <https://compiler.db.in.tum.de>

Linker

- The linker usually does not have to know about any programming language
- Still, some problems with your C++ code will only be found by the linker and not by the compiler (e.g., ODR violations, see later slides)
- Most common error are missing symbols, happens either because you forgot to define a function or global variable, or forgot to add a library
- Popular linkers are: GNU `ld`, GNU `gold`, `lld` (by the LLVM project)

Compiler Flags (2)

- Preprocessor and linker are usually executed by the compiler
- There are additional compiler flags that can influence the preprocessor or the linker

Advanced flags:

- E Run only preprocessor (outputs C++ file without preprocessor directives)
- c Run only preprocessor and compiler (outputs object file)
- S Run only preprocessor and compiler (outputs assembly as text)
- g Add *debug symbols* to the generated binary
- DF00 Defines the macro F00
- DF00=42 Defines the macro F00 with value 42
- l<lib> Link library <lib> into executable
- I<path> Also search <path> for #included files
- L<path> Also search <path> for libraries specified with -l

Debugging C++ Programs with gdb

- Debugging by printing text is easy but most of the time not very useful
- Especially for multi-threaded programs a real debugger is essential
- For C++ the most used debugger is gdb (“GNU debugger”)
- It is free and open-source (GPLv2)
- For the best debugging experience a program should be compiled without optimizations (`-O0`) and with debug symbols (`-g`)
- The debug symbols help the debugger to map assembly instructions to the source code that generated them
- The documentation for gdb can be found here:
<https://sourceware.org/gdb/current/onlinedocs/gdb/>

gdb commands (1)

To start debugging run the command `gdb myprogram`. This starts a command-line interface which expects one of the following commands:

<code>help</code>	Show general help or help about a command.
<code>run</code>	Start the debugged program.
<code>break</code>	Set a breakpoint. When the breakpoint is reached, the debugger stops the program and accepts new commands.
<code>delete</code>	Remove a breakpoint.
<code>continue</code>	Continue running the program after it stopped at a breakpoint or by pressing <code>Ctrl + C</code> .
<code>next</code>	Continue running the program until the next source line of the current function.
<code>step</code>	Continue running the program until the source line changes.
<code>nexti</code>	Continue running the program until the next instruction of the current function.
<code>stepi</code>	Execute the next instruction.
<code>print</code>	Print the value of a variable, expression or CPU register.

gdb commands (2)

frame	Show the currently selected <i>stack frame</i> , i.e. the current stack with its local variables. Usually includes the function name and the current source line. Can also be used to switch to another frame.
backtrace	Show all stack frames.
up	Select the frame from the next higher function.
down	Select the frame from the next lower function.
watch	Set a watchpoint. When the memory address that is watched is read or written, the debugger stops.
thread	Show the currently selected thread in a multi-threaded program. Can also be used to switch to another thread.

Most commands also have a short version, e.g., r for run, c for continue, etc.

Declarations and Definitions



Objects

One of the core concepts of C++ are objects.

- The main purpose of C++ programs is to interact with objects in order to achieve some goal
- Examples of objects are local and global variables
- Examples of concepts that are *not* objects are functions, references, and values

An object in C++ is a *region of storage* with certain properties:

- Size
- Alignment
- Storage duration
- Lifetime
- Type
- Value
- Optionally, a name



Storage Duration (1)

Every object has one of the following *storage durations*:

automatic:

- Objects with automatic storage duration are allocated at the beginning of the enclosing scope and deallocated automatically (i.e., it is not necessary to write code for this) at its end
- Local variables have automatic storage duration

static:

- Objects with static storage duration are allocated when the program begins (usually even before `main()` is executed!)
- They are deallocated automatically when the program ends
- All global variables have static storage duration

Storage Duration (2)

thread:

- Objects with thread storage duration are allocated when a thread starts and deallocated automatically when it ends
- In contrast to objects with static storage duration, each thread gets its own copy of objects with thread storage duration

dynamic:

- Objects with dynamic storage duration are allocated and deallocated by using dynamic memory management (see future lectures)
- **Note:** Deallocation must be done manually!

```
int foo = 1; // static storage duration
static int bar = 2; // static storage duration
thread_local int baz = 3; // thread storage duration
void f() {
    int x = 4; // automatic storage duration
    static int y = 5; // static storage duration
}
```



Lifetime

In addition to their storage duration objects also have a *lifetime* which is closely related. References also have a lifetime.

- The lifetime of an object or reference starts when it was fully *initialized*
- The lifetime of an object ends when its destructor is called (for objects of class types, see future lecture) or when its storage is deallocated or reused (for all other types)
- The lifetime of an object never exceeds its storage duration.
- The lifetime of a reference ends as if it were a “scalar” object (e.g. an `int` variable)

Generally, using an object outside of its lifetime leads to undefined behavior.



Namespaces (1)

Larger projects may contain many names (functions, classes, etc.)

- Should be organized into logical units
- May incur name clashes
- C++ provides *namespaces* for this purpose

Namespace definitions

```
namespace identifier {  
    namespace-body  
}
```

Explanation

- *identifier* may be a previously unused identifier, or the name of a namespace
- *namespace-body* may be a sequence of declarations
- A name declared inside a namespace must be qualified when accessed from outside the namespace (`::` operator)

Namespaces (2)

Qualified name lookup

```
namespace A {  
void foo() { /* do something */ }  
void bar() {  
    foo(); // refers to A::foo  
}  
}  
  
namespace B {  
void foo() { /* do something */ }  
}  
  
int main() {  
    A::foo(); // qualified name lookup  
    B::foo(); // qualified name lookup  
  
    foo(); // ERROR: foo was not declared in this scope  
}
```

Namespaces (3)

Namespaces may be nested

```
namespace A { namespace B {  
void foo() { /* do something */ }  
}}  
  
// equivalent definition  
namespace A::B {  
void bar() {  
    foo(); // refers to A::B::foo  
}  
}  
  
int main() {  
    A::B::bar();  
}
```

Namespaces (4)

Code can become rather confusing due to large number of braces

- Use visual separators (comments) at sensible points
- (Optionally) add comments to closing namespace braces

```
//-----  
namespace A::B {  
//-----  
void foo() {  
    // do something  
}  
//-----  
void bar() {  
    // do something else  
}  
//-----  
} // namespace A::B  
//-----
```

Namespaces (5)

- Always using fully qualified names makes code easier to read
- Sometimes it is obvious from which namespace the names come from in which case one prefers to use unqualified names
- For this `using` and `using namespace` can be used
- `using namespace X` imports *all* names from namespace X into the current one
- `using X::a` only imports the name a from X into the current namespace

```
namespace A { int x; }
namespace B { int y; int z; }
using namespace A;
using B::y;
int main() {
    x = 1; // Refers to A::x
    y = 2; // Refers to B::y
    z = 3; // ERROR: z was not declared in this scope
    B::z = 3; // OK
}
```



Declarations

C++ code that introduces a name that can then be referred to is called *declaration*. There are many different kinds of declarations:

- variable declarations: `int a;`
- function declarations: `void foo();`
- namespace declarations: `namespace A { }`
- using declarations: `using A::x;`
- class declarations: `class C;`
- template declarations: `template <typename T> void foo();`
- ...

Declaration Specifiers

Some declarations can also contain additional *specifiers*. The following lists shows a few common ones and where they can be used. We will see some more specifiers in future lectures.

- static** Can be used for variable and function declarations, affects the declaration's *linkage* (see next slide). Also, objects declared with **static** have static storage duration.
- extern** Can be used for variable declarations in which case it also affects their linkage. Objects declared with **extern** also have static storage duration.
- inline** Can be used for variable and function declarations. Despite the name, has (almost) nothing to do with the inlining optimization. See the slides about the “One Definition Rule” for more information.



Linkage

Most declarations have a (conceptual) property called *linkage*. This property determines how the name of the declaration will be visible in the current and in other translation units. There are three types of linkage:

no linkage:

- Names can only be referenced from the scope they are in
- Local variables

internal linkage:

- Names can only be referenced from the same translation unit
- Global functions and variables declared with `static`
- Global variables that are not declared with `extern`
- All declarations in namespaces without name (“anonymous namespaces”)

external linkage:

- Names can be referenced from other translation units
- Global functions (without `static`)
- Global variables with `extern`



Definitions

When a name is declared it can be referenced by other code. However, most uses of a name also require the name to be *defined* in addition to be declared.

Formally, this is called *odr-use* and covers the following cases:

- The value of a variable declaration is read or written
- The address of a variable or function declaration is taken
- A function is called
- An object of a class declaration is used

Most declarations are also definitions, with some exceptions such as

- Any declaration with an `extern` specifier and no initializer
- Function declarations without function bodies
- Declaration of a class name (“forward declaration”)



One Definition Rule (1)

One Definition Rule (ODR)

- At most one definition of a name is allowed *within one translation unit*
- Exactly one definition of every non-inline function or variable that is odr-used must appear *within the entire program*
- Exactly one definition of an inline-function must appear *within each translation unit* where it is odr-used
- Exactly one definition of a class must appear *within each translation unit* where the class is used and required to be complete (more details later)

For subtleties and exceptions to these rules: See reference documentation

One Definition Rule (2)

```
_____ a.cpp _____  
int i = 5; // OK: declares and defines i  
int i = 6; // ERROR: redefinition of i  
  
extern int j; // OK: declares j  
int j = 7;    // OK: (re-)declares and defines j
```

Separate declaration and definition is required to break circular dependencies

```
_____ b.cpp _____  
void bar(); // declares bar  
void foo() { // declares and defines foo  
    bar();  
}  
void bar() { // (re-)declares and defines bar  
    foo();  
}
```

One Definition Rule (3)

a.cpp

```
int foo() {  
    return 1;  
}
```

b.cpp

```
int foo() {  
    return 2;  
}
```

Trying to link a program consisting of a.cpp and b.cpp will fail



```
$ g++ -c -o a.o a.cpp  
$ g++ -c -o b.o b.cpp  
$ g++ a.o b.o  
/usr/bin/ld: b.o: in function `foo()':  
b.cpp:(.text+0x0): multiple definition of `foo()'; a.o:a.cpp:(.text+0x0): first defined  
↪ here  
collect2: error: ld returned 1 exit status
```

One Definition Rule (4)

What about helper functions/variables local to translation units? → Internal linkage!

- Option A: Use `static` (only works for variables and functions)

a.cpp

```
static int foo = 1;
static int bar() {
    return foo;
}
```

- Option B: Use *anonymous namespaces*

b.cpp

```
namespace {
//-----
int foo = 1;
int bar() {
    return foo;
}
//-----
}
```



Header and Implementation Files

When distributing code over several files it is usually split into *header* and *implementation* files

- Header and implementation files have the same name, but different suffixes (e.g. `.hpp` for headers, `.cpp` for implementation files)
- Header files contain only declarations that should be visible and usable in other parts of the program
- Implementation files contain definitions of the names declared in the corresponding header
- At least the header files should include some documentation

Header files can be included in implementation files and other headers through preprocessor directives.

Syntax:

- `#include "path"` where *path* is a relative path to the header file
- `#include <path>` like the first version but only *system directories* are searched for the *path*

Header Guards (1)

A file may transitively include the same header multiple times

- May lead to unintentional violations of the one definition rule
- It is infeasible (and often impossible) to avoid duplicating transitive includes entirely
- Instead: Header files themselves ensure that they are included at most once in a single translation unit

```
_____ path/A.hpp _____  
  
int i = 1;
```

```
_____ path/B.hpp _____  
  
#include "path/A.hpp"  
int j = i;
```

```
_____ main.cpp _____  
  
#include "path/A.hpp"  
#include "path/B.hpp" // ERROR: i is defined twice
```

Header Guards (2)

Solution A: Use traditional header guards

```
----- path/A.hpp -----  
// use any unique name, usually composed from the path  
#ifndef H_path_A  
#define H_path_A  
// -----  
int i = 1;  
// -----  
#endif
```

```
----- path/B.hpp -----  
#ifndef H_path_B  
#define H_path_B  
// -----  
#include "path/A.hpp"  
// -----  
int j = i;  
// -----  
#endif
```

Header Guards (3)

Solution B: Use `#pragma once` once preprocessor directive

path/A.hpp

```
#pragma once  
// -----  
int i = 1;
```

path/B.hpp

```
#pragma once  
// -----  
#include "path/A.hpp"  
// -----  
int j = i;
```


Example: Header and Implementation Files (1)

The example CMake project from last lecture shows how header and implementation files are used. These are the header files:

sayhello.hpp

```
#pragma once
#include <string>

/// Print a greeting for `name`
void sayhello(const std::string& name);
```

saybye.hpp

```
#pragma once
#include <string>

/// Say bye to `name`
void saybye(const std::string& name);
```

Example: Header and Implementation Files (2)

The two header files have the following associated implementation files:

```
sayhello.cpp  
  
#include "sayhello.hpp"  
#include <iostream>  
  
/// Print a greeting for `name`  
void sayhello(const std::string& name) {  
    std::cout << "Hello " << name << "!" << std::endl;  
}
```

```
saybye.cpp  
  
#include "saybye.hpp"  
#include <iostream>  
  
/// Say bye to `name`  
void saybye(const std::string& name) {  
    std::cout << "Bye " << name << "!" << std::endl;  
}
```

Example: Header and Implementation Files (3)

The “main” file, in the example `print_greetings.cpp` only includes the headers:

```
print_greetings.cpp
#include <iostream>
#include "sayhello.hpp"
#include "saybye.hpp"

int main(int argc, const char** argv) {
    if (argc != 2) {
        std::cerr << "Please write: ./print_greetings name" <<
            ↪ std::endl;
        return 1;
    }
    sayhello(argv[1]);
    saybye(argv[1]);
    return 0;
}
```