

Basic C++ Syntax

Overview

Common set of basic features shared by a wide range of programming languages

- Built-in types (integers, characters, floating point numbers, etc.)
- Variables (“names” for entities)
- Expressions and statements to manipulate values of variables
- Control-flow constructs (`if`, `for`, etc.)
- Functions, i.e. units of computation

Supplemented by additional functionality


- Programmer-defined types (`struct`, `class`, etc.)
- Library functions

The C++ Reference Documentation

C++ is in essence a simple language

- Limited number of basic features and rules
- **But:** There is a corner case to most features and an exception to most rules
- **But:** Some features and rules are rather obscure

These slides will necessarily be inaccurate or incomplete at times

- <https://en.cppreference.com/w/cpp> provides an excellent and complete reference documentation of C++
- Every C++ programmer should be able to read and understand the reference documentation
- Slides that directly relate to the reference documentation contain the  symbol with a link to the relevant webpage in the slide header

Look at these links and familiarize yourself with the reference documentation!



Comments

C++ supports two types of comments

- “C-style” or “multi-line” comments: `/* comment */`
- “C++-style” or “single-line” comments: `// comment`

Example

```
/* This comment is unnecessarily  
   split over two lines */  
int a = 42;  
  
// This comment is also split  
// over two lines  
int b = 123;
```



Fundamental Types

C++ defines a set of primitive types

- Void type
- Boolean type
- Integer types
- Character types
- Floating point types

All other types are composed of these fundamental types in some way



Void Type

The void type has no values

- Identified by the C++ keyword `void`
- No objects of type `void` are allowed
- Mainly used as a return type for functions that do not return any value
- Pointers to `void` are also permitted

```
void* pointer;           // OK: pointer to void
void object;            // ERROR: object of type void
void doSomething() {    // OK: void return type
    // do something important
}
```



Boolean Type

The boolean type can hold two values

- Identified by the C++ keyword `bool`
- Represents the truth values `true` and `false`
- Quite frequently obtained from implicit automatic type conversion

```
bool condition = true;
// ...
if (condition) {
    // ...
}
```



Integer Types (1)

The integer types represent integral values

- Identified by the C++ keyword `int`
- Some properties of integer types can be changed through modifiers
- `int` keyword may be omitted if at least one modifier is used

Signedness modifiers

- `signed` integers will have signed representation (i.e. they can represent negative numbers)
- `unsigned` integers will have unsigned representation (i.e. they can only represent non-negative numbers)

Size modifiers

- `short` integers will be optimized for space (at least 16 bits wide)
- `long` integers will be at least 32 bits wide
- `long long` integers will be at least 64 bits wide



Integer Types (2)

Modifiers and the `int` keyword can be specified in any order

```
// a, b, c and d all have the same type
unsigned long long int a;
unsigned long long     b;
long unsigned int long c;
long long unsigned     d;
```

By default integers are `signed`, thus the `signed` keyword can be omitted

```
// e and f have the same type
signed int e;
int        f;
```

By convention modifiers are ordered as follows

1. Signedness modifier
2. Size modifier
3. (`int`)



Integer Type Overview

Overview of the integer types as specified by the C++ standard

Canonical Type Specifier	Minimum Width	Minimum Range
<code>short</code> <code>unsigned short</code>	16 bit	-2^{15} to $2^{15} - 1$ 0 to $2^{16} - 1$
<code>int</code> <code>unsigned</code>	16 bit	-2^{15} to $2^{15} - 1$ 0 to $2^{16} - 1$
<code>long</code> <code>unsigned long</code>	32 bit	-2^{31} to $2^{31} - 1$ 0 to $2^{32} - 1$
<code>long long</code> <code>unsigned long long</code>	64 bit	-2^{63} to $2^{63} - 1$ 0 to $2^{64} - 1$

The exact width of integer types is **not** specified by the standard!



Fixed-Width Integer Types

Sometimes we need integer types with a guaranteed width

- Use fixed-width integer types defined in `<cstdint>` header
- `int8_t`, `int16_t`, `int32_t` and `int64_t` for signed integers of width 8, 16, 32 or 64 bit, respectively
- `uint8_t`, `uint16_t`, `uint32_t` and `uint64_t` for unsigned integers of width 8, 16, 32 or 64 bit, respectively

Only defined if the C++ implementation directly supports the type

```
#include <cstdint>

long    a; // may be 32 or 64 bits wide
int32_t b; // guaranteed to be 32 bits wide
int64_t c; // guaranteed to be 64 bits wide
```

Integer Type Guidelines

Use basic (i.e. non-fixed-width) integer types by default

- They guarantee a minimum range that can be supported
- Most of the time we do not need to know an exact maximum value
- Usually (**unsigned**) **int** or **long** are a reasonable choice

Only use fixed-width integer types where absolutely required

- E.g. in data structures that need to have deterministic fixed size
- E.g. in library calls
- E.g. for bitwise operations that rely on masks, shifts etc.

Do not prematurely optimize for space consumption

- Registers on modern CPUs are likely to be 64 bit wide anyway
- Most of the time a program only becomes susceptible to overflow bugs if narrow integer types are used without good reason



Character Types

Character types represent character codes and (to some extent) integral values

- Identified by C++ keywords `signed char` and `unsigned char`
- Minimum width is 8 bit, large enough to represent UTF-8 eight-bit code units
- The C++ type `char` may either be `signed char` or `unsigned char`, depending on the implementation
- `signed char` and `unsigned char` are sometimes used to represent small integral values

Larger UTF characters are supported as well

- `char16_t` for UTF-16 character representation
- `char32_t` for UTF-32 character representation



Floating Point Types

Floating point types of varying precision

- `float` usually represents IEEE-754 32 bit floating point numbers
- `double` usually represents IEEE-754 64 bit floating point numbers
- `long double` is a floating point type with extended precision (varying width depending on platform and OS, usually between 64 bit and 128 bit)

Floating point types may support special values

- Infinity
- Negative zero
- Not-a-number



Implicit Conversions (1)

Type conversions may happen automatically

- If we use an object of type A where an object of type B is expected
- Exact conversion rules are highly complex (full details in the reference documentation)

Some common examples

- If one assigns an integral type to `bool` the result is `false` if the integral value is `0` and `true` otherwise
- If one assigns `bool` to an integral type the result is `1` if the value is `true` and `0` otherwise
- If one assigns a floating point type to an integral type the value is truncated
- If one assigns an out-of-range value to an unsigned integral type of width w , the result is the original value modulo 2^w

Implicit Conversions (2)

Example

```
uint16_t i = 257;
uint8_t j = i; // j is 1

if (j) {
    /* executed if j is not zero */
}
```




Undefined Behavior (1)

In some situations the behavior of a program is not well-defined

- E.g. overflow of an unsigned integer is well-defined (see previous slide)
- **But:** Signed integer overflow results in **undefined behavior**
- We will encounter undefined behavior every once in a while

Undefined behavior falls outside the specification of the C++ standard

- The compiler is allowed to do anything when it encounters undefined behavior
- Fall back to some sensible default behavior
- Do nothing
- Print 42
- Do anything else you can think of

A C++ program must never contain undefined behavior!

Undefined Behavior (2)

Example

foo.cpp

```
int foo(int i) {  
    if ((i + 1) > i)  
        return 42;  
  
    return 123;  
}
```

foo.o

```
foo(int):  
    movl    $42, %eax  
    retq
```



Undefined Behavior (3)

Undefined behavior differs from unspecified or implementation-defined behavior

- Unspecified or implementation-defined behavior is still valid C++
- However its effects may be different across compilers
- Only implementation-defined behavior is required to be documented

Undefined behavior gives compilers more freedom for optimization

- They can assume that programs contain no undefined behavior
- E.g. makes it possible for the compiler to omit some checks

Example

- Out-of-bounds array accesses are undefined behavior
- Therefore, the compiler does not need to generate range checks for each array access



Variables

Variables need to be defined before they can be used

- Simple declaration: Type specifier followed by comma-separated list of declarators (variable names) followed by semicolon
- Variable names in a simple declaration may optionally be followed by an initializer

```
void foo() {  
    unsigned i = 0, j;  
    unsigned meaningOfLife = 42;  
}
```



Variable Initializers (1)

Initialization provides an initial value at the time of object construction

1. `variableName(<expression>)`
2. `variableName = <expression>`
3. `variableName{<expression>}`

Important differences

- Options 1 and 2 simply assign the value of the expression to the variable, possibly invoking implicit type conversions
- Option 3 results in a compile error if implicit type conversions potentially result in loss of information

A declaration may contain no initializer

- Non-local variables are default-initialized (to zero for built-in types)
- Local variables are usually **not** default-initialized

Accessing an uninitialized variable is **undefined behavior**

Variable Initializers (2)

```
double a = 3.1415926;  
double b(42);  
unsigned c = a; // OK: c == 3  
unsigned d(b); // OK: d == 42  
unsigned e{a}; // ERROR: potential information loss  
unsigned f{b}; // ERROR: potential information loss
```

Initializers may be arbitrarily complex expressions

```
double pi = 3.1415926, z = 0.30, a = 0.5;  
double volume(pi * z * z * a);
```



Integer Literals

Integer literals represent constant values embedded in the source code

- Decimal: `42`
- Octal: `052`
- Hexadecimal: `0x2a`
- Binary: `0b101010`

The following suffixes may be appended to a literal to specify its type

- `unsigned` suffix: `42u` or `42U`
- Long suffixes:
 - `long` suffix: `42l` or `42L`
 - `long long` suffix: `42ll` or `42LL`
- Both suffixes can be combined, e.g. `42ul`, `42ull`

Single quotes may be inserted between digits as a separator

- e.g. `1'000'000'000'000ull`
- e.g. `0b0010'1010`



Floating-point literals

Floating-point literals represent constant values embedded in the source code

- Without exponent: `3.1415926`, `.5`
- With exponent: `1e9`, `3.2e20`, `.5e-6`

One of the following suffixes may be appended to a literal to specify its type

- `float` suffix: `1.0f` or `1.0F`
- `long double` suffix: `1.0l` or `1.0L`

Single quotes may be inserted between digits as a separator

- e.g. `1'000.000'001`
- e.g. `.141'592e12`



Character Literals

Character literals represent constant values embedded in the source code

- Any character from the source character set except single quote, backslash and newline, e.g. `'a'`, `'b'`, `'€'`
- Escape sequences, e.g. `'\''`, `'\\'`, `'\n'`, `'\u1234'`

One of the following prefixes may be prepended to a literal to specify its type

- UTF-8 prefix: `u8'a'`, `u8'b'`
- UTF-16 prefix: `u'a'`, `u'b'`
- UTF-32 prefix: `U'a'`, `U'b'`



Const & Volatile Qualifiers (1)

Any type `T` in C++ (except function and reference types) can be *cv-qualified*

- const-qualified: `const T`
- volatile-qualified: `volatile T`
- cv-qualifiers can appear in any order, before or after the type

Semantics

- `const` objects cannot be modified
- Any read or write access to a `volatile` object is treated as a visible side effect for the purposes of optimization
- `volatile` should be avoided in most cases (it is likely to be deprecated in future versions of C++)
- Use *atomics* instead

Const & Volatile Qualifiers (2)

Only code that contributes to observable side-effects is emitted

```
int main() {  
    int a = 1; // will be optimized out  
    int b = 2; // will be optimized out  
    volatile int c = 42;  
    volatile int d = c + b;  
}
```

Possible x86-64 assembly (compiled with -O1)

main:

```
movl    $42, -4(%rsp)    # volatile int c = 42  
movl    -4(%rsp), %eax   # volatile int d = c + b;  
addl    $2, %eax        # volatile int d = c + b;  
movl    %eax, -8(%rsp)  # volatile int d = c + b;  
movl    $0, %eax       # implicit return 0;  
ret
```



Expression Fundamentals

C++ provides a rich set of operators

- Operators and operands can be composed into expressions
- Most operators can be overloaded for custom types

Fundamental expressions

- Variable names
- Literals

Operators act on a number of operands

- Unary operators: E.g. negation ($-$), address-of ($\&$), dereference ($*$)
- Binary operators: E.g. equality ($==$), multiplication ($*$)
- Ternary operator: $a ? b : c$



Value Categories

Each expression in C++ is characterized by two independent properties

- Its *type* (e.g. `unsigned`, `float`)
- Its *value category*
- Operators may require operands of certain value categories
- Operators result in expressions of certain value categories

Broadly (and inaccurately) there are two value categories: *lvalues* and *rvalues*

- *lvalues* refer to the identity of an object
- *rvalues* refer to the value of an object
- Modifiable *lvalues* can appear on the left-hand side of an assignment
- *lvalues* and *rvalues* can appear on the right-hand side of an assignment

C++ actually has a much more sophisticated taxonomy of expressions

- Will (to some extent) become relevant later during the course



Arithmetic Operators (1)

Operator	Explanation
+a	Unary plus
-a	Unary minus
a + b	Addition
a - b	Subtraction
a * b	Multiplication
a / b	Division
a % b	Modulo
~a	Bitwise NOT
a & b	Bitwise AND
a b	Bitwise OR
a ^ b	Bitwise XOR
a << b	Bitwise left shift
a >> b	Bitwise right shift

C++ arithmetic operators have the usual semantics



Arithmetic Operators (2)

Incorrectly using the arithmetic operators can lead to undefined behavior, e.g.

- Signed overflow (see above)
- Division by zero
- Shift by a negative offset
- Shift by an offset larger than the width of the type



Logical and Relational Operators

Operator	Explanation
!a	Logical NOT
a && b	Logical AND (short-circuiting)
a b	Logical OR (short-circuiting)
a == b	Equal to
a != b	Not equal to
a < b	Less than
a > b	Greater than
a <= b	Less than or equal to
a >= b	Greater than or equal to

C++ logical and relational operators have the usual semantics



Assignment Operators (1)

Operator	Explanation
<code>a = b</code>	Simple assignment
<code>a += b</code>	Addition assignment
<code>a -= b</code>	Subtraction assignment
<code>a *= b</code>	Multiplication assignment
<code>a /= b</code>	Division assignment
<code>a %= b</code>	Modulo assignment
<code>a &= b</code>	Bitwise AND assignment
<code>a = b</code>	Bitwise OR assignment
<code>a ^= b</code>	Bitwise XOR assignment
<code>a <<= b</code>	Bitwise left shift assignment
<code>a >>= b</code>	Bitwise right shift assignment

Notes

- The left-hand side of an assignment operator must be a modifiable lvalue
- For built-in types `a OP= b` is equivalent to `a = a OP b` except that `a` is only evaluated once

Assignment Operators (2)

The assignment operators return a reference to the left-hand side

```
unsigned a, b, c;  
a = b = c = 42; // a, b, and c have value 42
```

Usually rarely used, with one exception

```
if (unsigned d = computeValue()) {  
    // executed if d is not zero  
} else {  
    // executed if d is zero  
}
```



Increment and Decrement Operators

Operator	Explanation
++a	Prefix increment
--a	Prefix decrement
a++	Postfix increment
a--	Postfix decrement

Return value differs between prefix and postfix variants

- Prefix variants increment or decrement the value of an object and return a *reference* to the result
- Postfix variants create a copy of an object, increment or decrement the value of the original object, and return the copy



Ternary Conditional Operator

Operator	Explanation
<code>a ? b : c</code>	Conditional operator

Semantics

- `a` is evaluated and converted to `bool`
- If the result was `true`, `b` is evaluated
- Otherwise `c` is evaluated

The type and value category of the resulting expression depend on the operands

```
int n = (1 > 2) ? 21 : 42; // 1 > 2 is false, i.e. n == 42
int m = 42;
((n == m) ? m : n) = 21; // n == m is true, i.e. m == 21

int k{(n == m) ? 5.0 : 21}; // ERROR: narrowing conversion
((n == m) ? 5 : n) = 21; // ERROR: assigning to rvalue
```



Precedence and Associativity (1)

How to group multiple operators in one expression?

- Operators with higher precedence bind tighter than operators with lower precedence
- Operators with equal precedence are bound in the direction of their associativity
 - left-to-right
 - right-to-left
- Often grouping is not immediately obvious: **Use parentheses judiciously!**

Precedence and associativity do not specify evaluation order

- Evaluation order is mostly unspecified
- Generally, it is undefined behavior to refer to and change the same object within one expression

Precedence and Associativity (2)

In some situations grouping is obvious

```
int a = 1 + 2 * 3; // 1 + (2 * 3), i.e. a == 7
```

However, things can get confusing really quickly

```
int b = 50 - 6 - 2; // (50 - 6) - 2, i.e. b == 42
int c = b & 1 << 4 - 1; // b & (1 << (4 - 1)), i.e. c == 8
```

// real-world examples from libdcrw

```
diff = ((getbits(len-shl) << 1) + 1) << shl >> 1; // ???
yuv[c] = (bitbuf >> c * 12 & 0xfff) - (c >> 1 << 11); // ???
```

Bugs like to hide in expressions without parentheses

```
// shift should be 4 if sizeof(long) == 4, 6 otherwise
unsigned shift = 2 + sizeof(long) == 4 ? 2 : 4; // buggy
```



Operator Precedence Table (1)

Prec.	Operator	Description	Associativity
1	::	Scope resolution	left-to-right
2	a++ a-- <type>() <type>{} a() a[] . ->	Postfix increment/decrement Functional Cast Function Call Subscript Member Access	left-to-right
3	++a --a +a -a ! ~ (<type>) *a &a sizeof new new[] delete delete[]	Prefix increment/decrement Unary plus/minus Logical/Bitwise NOT C-style cast Dereference Address-of Size-of Dynamic memory allocation Dynamic memory deallocation	right-to-left



Operator Precedence Table (2)

Prec.	Operator	Description	Associativity
4	. * ->*	Pointer-to-member	left-to-right
5	a*b a/b a%b	Multiplication/Division/Remainder	left-to-right
6	a+b a-b	Addition/Subtraction	left-to-right
7	<< >>	Bitwise shift	left-to-right
8	<=>	Three-way comparison	left-to-right
9	< <= > >=	Relational < and ≤ Relational > and ≥	left-to-right
10	== !=	Relational = and ≠	left-to-right



Operator Precedence Table (3)

Prec.	Operator	Description	Associativity
11	&	Bitwise AND	left-to-right
12	^	Bitwise XOR	left-to-right
13		Bitwise OR	left-to-right
14	&&	Logical AND	left-to-right
15		Logical OR	left-to-right
16	a?b:c	Ternary conditional	right-to-left
	throw	throw operator	
	=	Direct assignment	
	+= -=	Compound assignment	
	*= /= %= <<= >>= &= ^= =	Compound assignment Compound assignment Compound assignment	
17	,	Comma	left-to-right



Simple Statements

Declaration statement: Declaration followed by a semicolon

```
int i = 0;
```

Expression statement: Any expression followed by a semicolon

```
i + 5; // valid, but rather useless expression statement  
foo(); // valid and possibly useful expression statement
```

Compound statement (blocks): Brace-enclosed sequence of statements

```
{ // start of block  
    int i = 0; // declaration statement  
} // end of block, i goes out of scope  
int i = 1; // declaration statement
```



Scope

Names in a C++ program are valid only within their *scope*

- The scope of a name begins at its point of declaration
- The scope of a name ends at the end of the relevant block
- Scopes may be shadowed resulting in discontinuous scopes (bad practice)

```
int a = 21;
int b = 0;
{
    int a = 1;      // scope of the first a is interrupted
    int c = 2;
    b = a + c + 39; // a refers to the second a, b == 42
}                  // scope of the second a and c ends
b = a;            // a refers to the first a, b == 21
b += c;          // ERROR: c is not in scope
```



If Statement (1)

Conditionally executes another statement

```
if (init-statement; condition)  
    then-statement  
else  
    else-statement
```

Explanation

- If *condition* evaluates to **true** after conversion to **bool**, *then-statement* is executed, otherwise *else-statement* is executed
- Both *init-statement* and the else branch can be omitted
- If present, *init-statement* must be an expression or declaration statement
- *condition* must be an expression statement or a single declaration
- *then-statement* and *else-statement* can be arbitrary (compound) statements

If Statement (2)

The *init-statement* form is useful for local variables only needed inside the `if`

```
if (unsigned value = computeValue(); value < 42) {  
    // do something  
} else {  
    // do something else  
}
```

Equivalent formulation

```
{  
    unsigned value = computeValue();  
    if (value < 42) {  
        // do something  
    } else {  
        // do something else  
    }  
}
```

If Statement (3)

In nested `if`-statements, the `else` is associated with the closest `if` that does not have an `else`

```
// INTENTIONALLY BUGGY!  
if (condition0)  
    if (condition1)  
        // do something if (condition0 && condition1) == true  
else  
    // do something if condition0 == false
```

When in doubt, use curly braces to make scopes explicit

```
// Working as intended  
if (condition0) {  
    if (condition1)  
        // do something if (condition0 && condition1) == true  
} else {  
    // do something if condition0 == false  
}
```



Switch Statement (1)

Conditionally transfer control to one of several statements

```
switch (init-statement; condition)
    statement
```

Explanation

- *condition* may be an expression or single declaration that is convertible to an enumeration or integral type
- The body of a `switch` statement may contain an arbitrary number of `case constant:` labels and up to one `default:` label
- The constant values for all `case:` labels must be unique
- If *condition* evaluates to a value for which a `case:` label is present, control is passed to the labelled statement
- Otherwise, control is passed to the statement labelled with `default:`
- The `break;` statement can be used to exit the `switch`

Switch Statement (2)

Regular example

```
switch (computeValue()) {  
    case 21:  
        // do something if computeValue() was 21  
        break;  
    case 42:  
        // do something if computeValue() was 42  
        break;  
    default:  
        // do something if computeValue() was != 21 and != 42  
        break;  
}
```


Switch Statement (3)

The body is executed sequentially until a `break;` statement is encountered

```
switch (computeValue()) {  
    case 21:  
    case 42:  
        // do something if computeValue() was 21 or 42  
        break;  
    default:  
        // do something if computeValue() was != 21 and != 42  
        break;  
}
```

Compilers may generate warnings when encountering such fall-through behavior

- Use special `[[fallthrough]];` statement to mark intentional fall-through



While Loop

Repeatedly executes a statement

```
while (condition)
    statement
```

Explanation

- Executes *statement* repeatedly until the value of *condition* becomes **false**. The test takes place before each iteration.
- *condition* may be an expression that can be converted to **bool** or a single declaration
- *statement* may be an arbitrary statement
- The **break**; statement may be used to exit the loop
- The **continue**; statement may be used to skip the remainder of the body



Do-While Loop

Repeatedly executes a statement

```
do
    statement
while (condition);
```

Explanation

- Executes *statement* repeatedly until the value of *condition* becomes **false**. The test takes place after each iteration.
- *condition* may be an expression that can be converted to **bool** or a single declaration
- *statement* may be an arbitrary statement
- The **break**; statement may be used to exit the loop
- The **continue**; statement may be used to skip the remainder of the body

While vs. Do-While

The body of a do-while loop is executed at least once

```
unsigned i = 42;

do {
    // executed once
} while (i < 42);

while (i < 42) {
    // never executed
}
```



For Loop (1)

Repeatedly executes a statement

```
for (init-statement; condition; iteration-expression)  
    statement
```

Explanation

- Executes *init-statement* once, then executes *statement* and *iteration-expression* repeatedly until *condition* becomes **false**
- *init-statement* may either be an expression or declaration
- *condition* may either be an expression that can be converted to **bool** or a single declaration
- *iteration-expression* may be an arbitrary expression
- All three of the above statements may be omitted
- The **break**; statement may be used to exit the loop
- The **continue**; statement may be used to skip the remainder of the body

For Loop (2)

```
for (unsigned i = 0; i < 10; ++i) {  
    // do something  
}  
  
for (unsigned i = 0, limit = 10; i != limit; ++i) {  
    // do something  
}
```

Beware of integral overflows (signed overflows are undefined behavior!)

```
for (uint8_t i = 0; i < 256; ++i) {  
    // infinite loop  
}  
  
for (unsigned i = 42; i >= 0; --i) {  
    // infinite loop  
}
```



Basic Functions (1)

Functions in C++

- Associate a sequence of statements (the *function body*) with a name
- Functions may have zero or more *function parameters*
- Functions can be invoked using a function-call expression which initializes the parameters from the provided arguments

Informal function definition syntax

```
return-type name ( parameter-list ) {  
    statement  
}
```

Informal function call syntax

```
name ( argument-list );
```

Basic Functions (2)

Function may have `void` return type

```
void procedure(unsigned parameter0, double parameter1) {  
    // do something with parameter0 and parameter1  
}
```

Functions with non-`void` return type must contain a `return` statement

```
unsigned meaningOfLife() {  
    // extremely complex computation  
    return 42;  
}
```

The `return` statement may be omitted in the main-function of a program (in which case zero is implicitly returned)

```
int main() {  
    // run the program  
}
```


Basic Functions (3)

Function parameters may be unnamed, in which case they cannot be used

```
unsigned meaningOfLife(unsigned /*unused*/) {  
    return 42;  
}
```

An argument must still be supplied when invoking the function

```
unsigned v = meaningOfLife();    // ERROR: expected argument  
unsigned w = meaningOfLife(123); // OK
```

Argument Passing

Argument to a function are passed **by value** in C++

```
unsigned square(unsigned v) {  
    v = v * v;  
    return v;  
}  
  
int main() {  
    unsigned v = 8;  
    unsigned w = square(v); // w == 64, v == 8  
}
```

C++ differs from other programming languages (e.g. Java) in this respect

- Parameters can *explicitly* be passed by reference
- Essential to keep argument-passing semantics in mind, especially when user-defined classes are involved



Default Arguments

A function definition can include default values for some of its parameters

- Indicated by including an initializer for the parameter
- After a parameter with a default value, all subsequent parameters must have default values as well
- Parameters with default values may be omitted when invoking the function

```
int foo(int a, int b = 2, int c = 3) {  
    return a + b + c;  
}
```

```
int main() {  
    int x = foo(1);           // x == 6  
    int y = foo(1, 1);       // y == 5  
    int z = foo(1, 1, 1);    // z == 3  
}
```



Function Overloading (1)

Several functions may have the same name (*overloaded*)

- Overloaded functions must have distinguishable parameter lists
- Calls to overloaded functions are subject to *overload resolution*
- Overload resolution selects which overloaded function is called based on a set of complex rules

Informally, parameter lists are distinguishable

- If they have a different number of non-defaulted parameters
- If they have at least one parameter with different type

Function Overloading (2)

Indistinguishable parameter lists

```
void foo(unsigned i);  
void foo(unsigned j); // parameter names do not matter  
void foo(unsigned i, unsigned j = 1);  
void foo(uint32_t i); // on x64
```

Valid example

```
void foo(unsigned i) { /* do something */ }  
void foo(float f) { /* do something */ }  
  
int main() {  
    foo(1u); // calls foo(unsigned)  
    foo(1.0f); // calls foo(float)  
}
```



Basic IO (1)

Facilities for printing to and reading from the console

- Use *stream objects* defined in `<iostream>` header
- `std::cout` is used for printing to console
- `std::cin` is used for reading from console

The left-shift operator can be used to write to `std::cout`

```
#include <iostream>
// -----
int main() {
    unsigned i = 42;
    std::cout << "The value of i is " << i << std::endl;
}
```

Basic IO (2)

The right-shift operator can be used to read from `std::cin`

```
#include <iostream>
// -----
int main() {
    std::cout << "Please enter a value: ";
    unsigned v;
    std::cin >> v;
    std::cout << "You entered " << v << std::endl;
}
```

The `<iostream>` header is part of the C++ standard library

- Many more interesting and useful features
- More details later
- In the meantime: Read the documentation!

Code Formatting (1)

Projects should always use a uniform code style

- Consistent conventions for naming, documentation, etc.
- Some aspects of a uniform code style have to be implemented manually (e.g. naming conventions)

Automated code formatting can for example be performed with `clang-format`

- Widely available through package manager
- Highly configurable code formatting tool
- Configuration possible through `.clang-format` file
- Integrated in CLion

Code Formatting (2)

Basic clang-format usage

```
> clang-format -i <path-to-file>
```

Reformats a source file in-place

- Reads formatting rules from `.clang-format` file in the current directory
- Should usually reside in the source root for project-wide formatting rules
- CLion detects `.clang-format` files and uses them for formatting
- Can be verified by looking for “ClangFormat” in the status bar of CLion

Code Formatting (3)

We will provide you with a `.clang-format` file for now

- Contains (in our opinion) sensible formatting rules
- Please make sure that your submissions are formatted according to these rules
- But our formatting rules should not be seen as the single source of truth

Some high-level formatting guidelines should be universally followed

- Descriptive names for variables and functions
- Comments for complicated sections of code
- ...